IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A core cell, the core cell fabricated on a substrate, comprising; upon

a the substrate being defined of three columns of substrate material, the three columns of substrate material comprising a first p-type n-type-column, a first n-type p-type column and a second p-type n-type column, the n-type p-type column being positioned between the first and second p-type columns; and

a pair of bitlines coupled to the core cell, such that the bitlines are separated by at least one of a voltage supply line and a ground voltage line, the bitlines not running in parallel immediately adjacent to one another.

- 2. (Original) The core cell of claim 1, wherein the bitline and complementary bitline are separated by one of at least a ground line and a voltage supply line.
 - 3. (Cancelled)
- 4. (Currently amended) In a random access memory comprised of at least a plurality of core cells, a core cell, comprising:

first p-type n-type substrate;

PATENT

first n-type p-type substrate; and

second <u>p-type</u> n-type substrate, the first and second <u>p-type</u> n-type

substrates being positioned on opposite sides of the first n-type p-type substrate; and

a pair of bitlines coupled to the core cell, wherein the bitlines are separated by

at least one of a voltage supply line and a ground voltage line, the bitlines not running

in parallel immediately adjacent to one another.

5. (Original) The core cell of claim 4, wherein each substrate has a

generally rectangular shape, the rectangles having substantially the same area.

6. (Currently amended) The core cell of claim 4, wherein at least two

PMOS transistors are fabricated on the first <u>n-type</u> p-type substrate.

7. (Currently amended) The core cell of claim 6, wherein at least 4

NMOS transistors are fabricated on the first and second <u>p-type</u> n-type substrate.

8. (Original) The core cell of claim 7, wherein the two PMOS transistors

and two NMOS transistors are coupled together to form two inverters, the two

inverters being coupled together to form the core cell's storage element.

9. (Cancelled)

10. (Cancelled).

4